



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1430
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,117	02/27/2004	Louis B. Hobson	200314976-1	7606
22879 7590 06/27/2007 HEWLETT PACKARD COMPANY P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400			EXAMINER LO, SUZANNE	
			ART UNIT 2128	PAPER NUMBER
			MAIL DATE 06/27/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/789,117	Applicant(s) HOBSON, LOUIS B.	
	Examiner Suzanne Lo	Art Unit 2128	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 March 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 and 14-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11, 14-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 February 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-11 and 14-22 have been presented for examination and the request for continued examination has been acknowledged.

Specification

2. The disclosure is objected to because of the following informalities: The amendment filed 03/22/07 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. However, it appears that the amendment is meant to facilitate the clearing the issue of non-statutory subject matter (transmission media as storage media, software only embodiment of logic). Applicant is required to either clarify that the specification has been amended solely to cure the previous outstanding 35 U.S.C. 101 issues or cancel the new matter in the reply to this Office Action. Appropriate correction is required.

Drawings

3. Figures 1-4 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Interpretation

4. The Examiner interprets the limitation "to produce a simulated processor performance state without causing an actual ACPI processor performance state change" as where the actual internal

Art Unit: 2128

frequency of the processor has not been changed (**Specification, [0039]**) by throttling a clock signal supplied to the processor (**Specification, [0061]**). While the internal state of the processor has not been changed, externally the state of the processor has changed, as the logic establishes the desired (simulated) processor performance state by causing the processor to be throttled (**Specification, [0060]**).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
 2. Ascertaining the differences between the prior art and the claims at issue.
 3. Resolving the level of ordinary skill in the pertinent art.
 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
5. **Claims 1-3, 6-11, 14 and 17-20** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Cooper et al. (U.S. Patent No. 7,082,542)**.

As per **claim 1**, Cooper is directed to an apparatus for producing a simulated processor performance state in a processor, comprising: a memory to store an address of an ACPI (Advanced Configuration and Power Interface) throttling register in the processor and a set of throttling bit patterns to be selectively written to the ACPI throttling register (**column 3, lines 30-43**), and a logic to select a bit pattern from the set of throttling bit patterns, and to write the selected bit pattern to the ACPI throttling

Art Unit: 2128

register (**column 4, lines 15-29**). Although Cooper does not explicitly disclose producing a simulated processor performance state without causing an actual processor performance state change, Cooper does teach throttling a clock signal to the processor where the internal state of the processor has not changed but the external state of the processor has changed by means of throttling emulation (**column 6, lines 24-46**) and it would have been obvious to an ordinary person skilled in the art at the time of the invention to use Cooper to simulate processor performance states in order to provide the same functional result of simulating processor performance states while providing more flexibility than the standard throttling techniques (**Cooper, column 6, line 65 – column 7, line 5**).

As per **claim 2**, Cooper is directed to the apparatus of claim 1, where the memory is to store an address of an ACPI status register from which a value related to throttling established by writing the selected bit pattern to the ACPI throttling register is to be read (**column 5, lines 31-47**).

As per **claim 3**, Cooper is directed to the apparatus of claim 1, where the memory is operably connected to a Basic Input Output System (BIOS) configured to facilitate controlling one or more processor functions (**column 3, lines 24-29**).

As per **claim 6**, Cooper is directed to the apparatus of claim 1, where the set of throttling bit patterns facilitates simulating two processor performance states that correspond to a higher performance state and a lower performance state (**column 6, lines 50-64**).

As per **claim 7**, Cooper is directed to the apparatus of claim 1, where the processor does not have a variable voltage supply (**column 3, lines 1-5**).

As per **claim 8**, Cooper is directed to the apparatus of claim 1, where the set of throttling bit patterns facilitates simulating two or more processor performance states (**column 6, line 65 0 column 7, line 5**).

Art Unit: 2128

As per claim 9, Cooper is directed to the apparatus of claim 8, where the two or more processor performance states include eight processor performance states simulated by throttling the processor 0%, 12.5%, 25%, 37.5%, 50%, 62.5%, 75%, and 87.5% of the time (**column 6, line 65 – column 7, line 5**).

As per claim 10, Cooper is directed to the apparatus of claim 1, where the ACPI throttling register is configured to cause the processor to be throttled by asserting a signal on a STOPCLK# line connected to the processor (**column 4, lines 49-63**).

As per claim 11, Cooper is directed to the apparatus of claim 7, where the processor does not have a variable frequency clock (**column 5, lines 7-23**).

As per claim 14, Cooper is directed to a method for causing a processor to operate as though an ACPI processor performance state had been established without actually causing an ACPI processor performance state change comprising: receiving a request to establish an actual processor performance state in a processor (**column 5, lines 51-57**), accessing a data structure to acquire a throttling bit pattern to write to an ACPI throttling register and an address for the ACPI throttling register (**column 5, lines 58-65**), and establishing a simulated processor performance state by writing the bit pattern to the ACPI throttling register (**column 6, lines 50-64**). Although Cooper does not explicitly disclose producing a simulated processor performance state without causing an actual processor performance state change, Cooper does teach throttling a clock signal to the processor where the internal state of the processor has not changed but the external state of the processor has changed by means of throttling emulation (**column 6, lines 24-46**), and it would have been obvious to an ordinary person skilled in the art at the time of the invention to use Cooper to simulate processor performance states in order to provide the same functional result of simulating processor performance states while providing more flexibility than the standard throttling techniques (**Cooper, column 6, line 65 – column 7, line 5**).

As per claim 17, Cooper is directed to the method of claim 16, where the actual processor performance state corresponds to one of a higher performance state and a lower performance state (column 6, line 65 – column 7, line 5).

As per claim 18, Cooper is directed to the method of claim 16, where the actual processor performance state corresponds to one of two or more user defined processor performance states (column 6, line 65 – column 7, line 5).

As per claim 19, Cooper is directed to the method of claim 16, where the actual processor performance state corresponds to one of eight processor performance states including a state where the processor is throttled one of 0%, 12.5%, 25%, 37.5%, 50%, 62.5%, 75%, and 87.5% of the time (column 6, line 65 – column 7, line 5).

As per claim 20, Cooper is directed to the method of claim 14, where writing the throttling bit pattern to the ACPI throttling register causes a signal to be asserted on a STOPCLK# line into the processor (column 4, lines 49-63).

6. Claims 4-5, 15-16, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cooper (U.S. Patent No. 7,082,542) in view of Oshins et al. (U.S. Patent No. 6,980,944 B1).

As per claim 4, Cooper is directed to the apparatus of claim 1, but fails to explicitly disclose the memory storing an ACPI table, the memory being operably connected to a Basic Input Output System (BIOS) configured to facilitate controlling one or more processor functions. Oshins teaches memory storing an ACPI table being operably connected to a BIOS (column 5, lines 31-35). It would have been obvious to an ordinary person skilled in the art at the time of the invention to combine the apparatus for producing a simulated processor performance state of Cooper with the ACPI table and BIOS connections of Oshins in order to improve hardware and operating system coordination (Oshins, column 1, lines 14-23).

Art Unit: 2128

As per claim 5, Cooper is directed to the apparatus of claim 1, but fails to explicitly specify the logic being configured to establish an ACPI table in a Basic Input Output System (BIOS), where to establish the table includes copying one or more values from the memory to the BIOS. Oshins teaches memory storing an ACPI table being in a BIOS (**column 5, lines 31-35**). It would have been obvious to an ordinary person skilled in the art at the time of the invention to combine the apparatus for producing a simulated processor performance state of Cooper with the ACPI table and BIOS connections of Oshins in order to improve hardware and operating system coordination (**Oshins, column 1, lines 14-23**).

As per claim 15, Cooper is directed to the method of claim 14, but fails to explicitly specify including establishing the data structure as an ACPI table in a Basic Input Output System (BIOS) operably connected to the processor. Oshins teaches memory storing an ACPI table being operably connected to a BIOS (**column 5, lines 31-35**). It would have been obvious to an ordinary person skilled in the art at the time of the invention to combine the apparatus for producing a simulated processor performance state of Cooper with the ACPI table and BIOS connections of Oshins in order to improve hardware and operating system coordination (**Oshins, column 1, lines 14-23**).

As per claim 16, the combination of Cooper and Oshins already discloses the method of claim 15, where establishing the data structure includes writing a set of throttling bit patterns to the ACPI table and writing the address of the ACPI throttling register to the ACPI table (**Cooper, column 5, lines 31-47 and Oshins, column 5, lines 31-35**).

As per claim 22, Cooper is directed to a computer-readable medium storing processor executable instructions that when executed by a processor cause the processor to perform a method, the method comprising: receiving a request to establish an actual processor performance state in the processor, where the actual processor performance state corresponds to one of a higher frequency state and a lower frequency state (**column 5, lines 51-57**); writing a set of throttling bit patterns to a data structure and writing an address of an ACPI throttling register to a data structure (**column 5, lines 58-65**); and writing

Art Unit: 2128

the bit pattern to the ACPI throttling register to cause the actual processor performance state to be simulated without actually causing an ACPI state change (**column 6, lines 50-64**) but fails to explicitly disclose establishing an ACPI table in a Basic Input Output System (BIOS) operably connected to the processor, where establishing the ACPI table includes writing a set of throttling bit patterns to the ACPI table and writing an address of an ACPI throttling register to the ACPI table; accessing the ACPI table to acquire a throttling bit pattern to write to the ACPI throttling register and an address for the ACPI throttling register.

Oshins teaches disclose establishing an ACPI table in a Basic Input Output System (BIOS) operably connected to the processor, where establishing the ACPI table includes writing a set of throttling bit patterns to the ACPI table and writing an address of an ACPI throttling register to the ACPI table(**column 5, lines 31-35**) and accessing the ACPI table to acquire a throttling bit pattern to write to the ACPI throttling register and an address for the ACPI throttling register (**column 5, lines 31-35**). It would have been obvious to an ordinary person skilled in the art at the time of the invention to combine the apparatus for producing a simulated processor performance state of Cooper with the ACPI table and BIOS connections of Oshins in order to improve hardware and operating system coordination (**Oshins, column 1, lines 14-23**).

7. **Claim 21** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Cooper (U.S. Patent No. 7,082,542)** in view of **Bhatia et al. (U.S. Patent No. 6,535,798 B1)**.

As per **claim 21**, Cooper is directed to the method of claim 14, but fails to explicitly disclose including: acquiring an address of an ACPI status register configured to report a value related to throttling the processor; reading the value from the ACPI status register, and selectively reporting a success or error condition based on the value. Bhatia teaches acquiring an address of an ACPI status register configured to report a value related to throttling the processor (**column 12, lines 40-43**); reading the value from the

Art Unit: 2128

ACPI status register (**column 12, lines 40-43**), and selectively reporting a success or error condition based on the value (**column 13, lines 8-18**). It would have been obvious to an ordinary person skilled in the art at the time of the invention to combine the method for causing simulated processor performance states of Cooper with the condition reporting of Bhatia in order to determine if additional performance state changes are required (**Bhatia, column 12, lines 29-36**).

Response to Arguments

8. The 35 U.S.C. 101 rejections of claims 1-11 and 14-22 have been withdrawn due to the amended claims and specification. However, the amendment to the specification has introduced a new matter issue. Furthermore, the language of claims 1-11 while statutory, indicate intended use and thus the limitations are not given patentable weight i.e. "memory *to* store an address", "logic *to* select a bit pattern"; claims 1-11 are fully anticipated with any computer system as it is an apparatus with memory and logic.

9. The 35 U.S.C. 112, 2nd paragraph rejections of claims 1-13 have been withdrawn due to the amended claims.

10. The objection to the drawings are maintained. The drawings do not include any of the alleged new and distinct features claimed by the Applicant (Figures 1-4).

11. Applicant's prior art arguments with respect to claims 1-11, and 14-22 have been considered but are moot in view of the new grounds of rejection.

Conclusion

12. The prior art made of record is not relied upon because it is cumulative to the applied rejection. These references include:

1. U.S. Patent No. 5,983,357 issued to Sun on 11/09/99.

Art Unit: 2128

2. U.S. Patent No. 6,016,548 issued to Nakamura et al. on 01/18/00.
 3. U.S. Patent No. 6,055,643 issued to Chaiken on 04/25/00.
 4. U.S. Patent No. 7,089,433 B2 issued to Chaiken et al. on 08/08/06.
 5. U.S. Patent No. 6,446,213 B1 issued to Yamaki on 09/03/02.
13. All Claims are rejected.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suzanne Lo whose telephone number is (571)272-5876. The examiner can normally be reached on M-F, 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571)272-2297. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Suzanne Lo
Patent Examiner
Art Unit 2128

SL
06/08/07


KAMINI SHAH
SUPERVISORY PATENT EXAMINER